Safety Data Sheet

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Last Revision Date 17-May-2022 Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Sp0tless
Product Code 31270120DA
REACH registration number Not applicable
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended UseCleaning agent. Restricted to professional users.

Uses Advised Against Consumer use (SU21)

Reason why uses advised against Use advised against in Chemical Safety Assessment per REACH Annex I point 7 2.3

1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190

For further information, please contact: INFO-MSDS@EVERRIS.COM

Non-Emergency Telephone Number +31 (0) 418655700

1.4. Emergency telephone number

IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24/7)

Europe	112
Austria	+43 1 406 43 43
Belgium	070 245 245
Denmark	+45 8212 1212
Finland	0800 147 111
France	+ 33 (0)1 45 42 59
Ireland	01 809 2566
Netherlands	+31 88 75 585 61
Norway	+45 735 80500
Poland	+48 42 2538 400
Portugal	+351 800 250 250
Spain	+34 91 562 04 20
Sweden	112
Switzerland	Tox Info Switzerland 145 (24h)
United Kingdom	111

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

110galation (20) 110 1272/2000	
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)

2.2. Label elements



Signal word

Warning

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

P337 + P313 - If eye irritation persists: Get medical advice/attention

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	Weight-%	Classification	Specific	REACH	M-Factor	M-Factor
			according to	concentration	registration		(long-term
			Regulation (EC)	limit (SCL)	number)
			No. 1272/2008				
			[CLP]				
Benzenesulfonic acid,	68910-32-	10 - 25%	Skin Irrit. 2 (H315)	-	Not available	-	-
mono-C10-16-alkyl	7		Eye Dam. 1 (H318)				
derivs., compounds with			Acute Tox. 4				
ethanolamine			(H302)				
(68910-32-7)							
(1-hydroxyethylidene)-bis	287-243-8	5 - 10%	Skin Irrit. 2 (H315)	-	Not available	-	-
phonic acid, compound			Eye Irrit. 2 (H319)				
with 2-aminoethanol (1:1)							
(85443-51-2)							
Fatty alcohol ethoxylate	500-195-7	1 - 5%	Eye Dam. 1 (H318)	-	01-2119488720-33	-	-
(68131-39-5)			Aquatic Acute 1				
			(H400)				
Ethanolamine	205-483-8	0.1 - 1%	Acute Tox. 4 (H302)		01-2119486455-28	-	-
(141-43-5)			Acute Tox. 4 (H312)	C>=5%			
			Acute Tox. 4 (H332)				
			Skin Corr. 1B				
			(H314)				

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L
Fatty alcohol ethoxylate	1600	2500	No data available
Ethanolamine	1720	1000	No data available

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible). First aid measures should be executed by trained

personnel only.

Inhalation Remove to fresh air. In the case of inhalation of aerosol/mist consult a physician if

necessary. If not breathing, give artificial respiration. If symptoms persist, call a physician. Dusty conditions are unlikely if product is used as intended. However, if prolonged

inhalation of dust occurs, remove casualty to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion Products Thermal decomposition can lead to release of toxic/corrosive gases and vapors.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Wear protective gloves/clothing and eye/face protection.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8. Prevent entry into waterways, sewers,

basements or confined areas.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal. Use up product

completely. Packaging material is industrial waste.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid

contact with eyes. Avoid generation of dust. In case of insufficient ventilation, wear suitable

respiratory equipment.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Keep away from

food, drink and animal feeding stuffs. When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions KEEP OUT OF REACH OF CHILDREN AND PETS. Keep container tightly closed in a dry

and well-ventilated place. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep away from frost.

Packaging materials Keep in original container, tightly closed in a safe place.

7.3. Specific end use(s)

Specific use(s) Cleaning agent. Read and follow label instructions. www.everris.com.

Exposure scenario Mixture. Not required.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other Information

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Ethanolamine	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm	STEL: 3 ppm	TWA: 1 ppm
	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	STEL: 7.6 mg/m ³	TWA: 2.5 mg/m ³
	*	STEL 3 ppm	STEL: 3 ppm	TWA: 1 ppm	STEL: 3 ppm
		STEL 7.6 mg/m ³	STEL: 7.6 mg/m ³	TWA: 2.5 mg/m³ K*	STEL: 7.6 mg/m ³
Chamical name	Charman	Skin sensitizer Czech Republic	Denmark	Estonia	Finland
Chemical name Ethanolamine	Cyprus *	TWA: 2.5 mg/m ³		TWA: 1 ppm	
Emanoiamine	STEL: 3 ppm	Ceiling: 7.5 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³	TWA: 1 ppm TWA: 2.5 mg/m ³
	STEL: 7.6 mg/m ³	*	H*	STEL: 3 ppm	STEL: 3 ppm
	TWA: 1 ppm			STEL: 7.6 mg/m ³	STEL: 7.6 mg/m ³
	TWA: 2.5 mg/m ³			A*	iho*
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Ethanolamine	TWA: 1 ppm	TWA: 0.2 ppm	TWA: 0.2 ppm	TWA: 1 ppm	TWA: 2.5 mg/m ³
	TWA: 2.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.51 mg/m ³	TWA: 2.5 mg/m ³	STEL: 7.6 mg/m ³
	STEL: 3 ppm	H*	Peak: 0.2 ppm	STEL: 3 ppm	*
	STEL: 7.6 mg/m ³	Skin sensitizer	Peak: 0.51 mg/m ³	STEL: 7.6 mg/m ³	
	*		skin sensitizer	skin - potential for	
				cutaneous	
- · · ·			1.20	absorption	NI - th ul - u- ul -
Chemical name	Italy	Latvia	Lithuania	Luxembourg	Netherlands
Chemical name Ethanolamine	TWA: 1 ppm	TWA: 0.2 ppm	*	*	TWA: 2.5 mg/m ³
	TWA: 1 ppm TWA: 2.5 mg/m ³	TWA: 0.2 ppm TWA: 0.5 mg/m ³	* TWA: 2.5 mg/m ³	* STEL: 3 ppm	TWA: 2.5 mg/m ³ STEL: 7.6 mg/m ³
	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm	TWA: 0.2 ppm TWA: 0.5 mg/m ³ STEL: 3 ppm	* TWA: 2.5 mg/m³ TWA: 1 ppm	* STEL: 3 ppm STEL: 7.6 mg/m³	TWA: 2.5 mg/m ³
	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm STEL: 7.6 mg/m ³	TWA: 0.2 ppm TWA: 0.5 mg/m ³	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm	TWA: 2.5 mg/m ³ STEL: 7.6 mg/m ³
Ethanolamine	TWA: 1 ppm TWA: 2.5 mg/m ³ STEL: 3 ppm	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³	* TWA: 2.5 mg/m³ TWA: 1 ppm	* STEL: 3 ppm STEL: 7.6 mg/m³	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H*
	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle*	TWA: 0.2 ppm TWA: 0.5 mg/m ³ STEL: 3 ppm	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H*
Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ *	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H*
Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³
Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 5 mg/m³	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 3 ppm STEL: 7.6 mg/m³	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm
Ethanolamine Chemical name Ethanolamine	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 5 mg/m³ H*	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ P*	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³
Ethanolamine Chemical name Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 3 ppm STEL: 5 mg/m³ H*	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³ *	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ P* Sweden	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Switzerland	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³ United Kingdom
Ethanolamine Chemical name Ethanolamine	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 3 ppm STEL: 5 mg/m³ H* Slovenia TWA: 1 ppm	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³ * Spain TWA: 1 ppm	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ P* Sweden NGV: 1 ppm	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Switzerland TWA: 2 ppm	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³ United Kingdom TWA: 1 ppm
Ethanolamine Chemical name Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 3 ppm STEL: 5 mg/m³ H* Slovenia TWA: 1 ppm TWA: 2.5 mg/m³	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ P* Sweden NGV: 1 ppm NGV: 2.5 mg/m³	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Switzerland TWA: 2 ppm TWA: 5 mg/m³	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³ United Kingdom TWA: 1 ppm TWA: 2.5 mg/m³
Ethanolamine Chemical name Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 5 mg/m³ H* Slovenia TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³ * Spain TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ P* Sweden NGV: 1 ppm NGV: 2.5 mg/m³ Bindande KGV: 3	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Switzerland TWA: 2 ppm TWA: 5 mg/m³ STEL: 4 ppm	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³ United Kingdom TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm
Ethanolamine Chemical name Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 3 ppm STEL: 5 mg/m³ H* Slovenia TWA: 1 ppm TWA: 2.5 mg/m³	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³ * Spain TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.5 mg/m³	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ P* Sweden NGV: 1 ppm NGV: 2.5 mg/m³ Bindande KGV: 3 ppm	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Switzerland TWA: 2 ppm TWA: 5 mg/m³	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³ United Kingdom TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³
Ethanolamine Chemical name Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 5 mg/m³ H* Slovenia TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³ * Spain TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 3 ppm STEL: 7.6 mg/m³ P* Sweden NGV: 1 ppm NGV: 2.5 mg/m³ Bindande KGV: 3 ppm Bindande KGV: 7.5	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Switzerland TWA: 2 ppm TWA: 5 mg/m³ STEL: 4 ppm	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³ United Kingdom TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm
Ethanolamine Chemical name Ethanolamine Chemical name	TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ pelle* Norway TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 5 mg/m³ H* Slovenia TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm	TWA: 0.2 ppm TWA: 0.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Poland STEL: 7.5 mg/m³ TWA: 2.5 mg/m³ * Spain TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.5 mg/m³	* TWA: 2.5 mg/m³ TWA: 1 ppm STEL: 7.6 mg/m³ STEL: 3 ppm Portugal TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ P* Sweden NGV: 1 ppm NGV: 2.5 mg/m³ Bindande KGV: 3 ppm	* STEL: 3 ppm STEL: 7.6 mg/m³ TWA: 1 ppm TWA: 2.5 mg/m³ Romania TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³ * Switzerland TWA: 2 ppm TWA: 5 mg/m³ STEL: 4 ppm	TWA: 2.5 mg/m³ STEL: 7.6 mg/m³ H* Slovakia TWA: 1 ppm TWA: 2.5 mg/m³ * Ceiling: 7.6 mg/m³ United Kingdom TWA: 1 ppm TWA: 2.5 mg/m³ STEL: 3 ppm STEL: 7.6 mg/m³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) Predicted No Effect Concentration No information available. (PNEC)

No information available.

8.2. Exposure controls

Personal protective equipment Wear normal, light working clothing

Eye/face protection Wear safety glasses with side shields (or goggles). Hand protection Nitrile rubber (0.26 mm). Break through time. > 8 h.

Skin and body protection Lightweight protective clothing.

31270120DA --- Sp0tless

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Prevent

product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Odor: Fertilizer.

Property Values Remarks • Method

Melting Point/Freezing Point:No data availableNone knownBoiling Point/Range:No data availableno data availableFlammability (solid, gas):No data availableNone knownFlammability Limits in Air:None known

Upper Flammability Limit: No data available Lower Flammability Limit: No data available

Flash Point:No data availableno data availableAutoignition Temperature:No data availableNone knownDecomposition Temperature:None known

pH 10 - 11.5 (ASTM D3838-05)

pH (as aqueous solution)
No data available
None known
No data available
None known

No data available **Dynamic Viscosity:** Water solubility No data available Not applied Solubility(ies) No data available None known Partition Coefficient: No data available Not applied No data available no data available Vapor Pressure: Relative density No data available None known

Bulk density No data available

Density: 1020 - 1040 kg/m³ (ISO 649-2)

Vapour density No data available no data available

Particle characteristics

Particle SizeNo data availableParticle Size DistributionNo data available

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Not reactive.

10.2. Chemical stability

Stability Stable under normal conditions.

Specific methods:

Sensitivity to mechanical impact Not sensitive. Sensitivity to static discharge Not sensitive.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Incompatible materials Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep

away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

Hazardous Decomposition Products
None under normal processing. Thermal decomposition can lead to release of irritating and

toxic gases and vapors.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Inhalation of dust in high

concentration may cause irritation of respiratory system.

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin contact May cause irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Based on available data, the classification criteria are not met

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 3,049.00 mg/kg

 ATEmix (dermal)
 58,097.00 mg/kg

0 % of the mixture consists of ingredient(s) of unknown toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Fatty alcohol ethoxylate	= 1600 mg/kg (Rat)	= 2500 mg/kg (Rabbit)	-
Ethanolamine	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	-

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT - single exposureBased on available data, the classification criteria are not met.STOT - repeated exposureBased on available data, the classification criteria are not metAspiration hazardBased on available data, the classification criteria are not met

Endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

Contains 25 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethanolamine	EC50: =15mg/L (72h,	LC50: 114 - 196mg/L	-	EC50: =65mg/L (48h,
	Desmodesmus	(96h, Oncorhynchus		Daphnia magna)
	subspicatus)	mykiss)		
		LC50: 300 - 1000mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =227mg/L (96h,		
		Pimephales promelas)		
		LC50: =3684mg/L (96h,		
		Brachydanio rerio)		
		LC50: >200mg/L (96h,		
		Oncorhynchus mykiss)		

12.2. Persistence and degradability

Persistence and Degradability: No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Ethanolamine	-1.91

12.4. Mobility in soil

Mobility in soilno data available.Mobilityno data available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Fatty alcohol ethoxylate	The substance is not PBT / vPvB

Ethanolamine	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties

12.7. Other adverse effects

•

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other Information Use up product completely. Packaging material is industrial waste. If material is

uncontaminated, collect and reuse as recommended for product.

SECTION 14: Transport information

п	И	ח	G
щ	ш	<u> </u>	<u> </u>

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Transport hazard class(es)

Not regulated

14.4

Packing group: Not regulated

14.5

Marine Pollutant: Not regulated

14.6

Special Provisions None

<u>14.7</u>

Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Transport hazard class(es)

Not regulated

14.4

Packing group: Not regulated

14.5

Environmental hazards Not regulated

14.6

Special Provisions None

IATA

14.1 UN number or ID number Not regulated

14.2

Proper shipping name: Not regulated

14.3

Transport hazard class(es)

Not regulated

14.4

Packing group

14.5

Environmental hazards

14.6

Special Provisions

Not regulated

Not regulated

None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Denmark France

ICPE

No data available

Chemical name	French RG number	Title
Ethanolamine	RG 49,RG 49bis	-

Germany

Gefahrstoffverordnung (Germany) TRGS 511

Not regulated

Chemical name	German WGK Section
(1-hydroxyethylidene)-bisphonic acid, compound with 2-aminoethanol	Reg. no. 3201, hazard class 1 - slightly hazardous to
(1:1)	water
Fatty alcohol ethoxylate	Reg. no. 8122, hazard class 2 - obviously hazardous to
	water
Ethanolamine	Reg. no. 94, hazard class 1 - slightly hazardous to water

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 94/33/EC on the protection of young people at work

Not to be used by professional users below 18 years of age, see the National Working Environment Authorities Executive Order on young peoples dangerous work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

REGULATION (EU) 2019/1148 on the marketing and use of explosives precursors

Not regulated

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC)

Not applicable

1005/2009

EU - Plant Protection Products (1107/2009/EC)

International Inventories:

<u>Legend:</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Page 10 of 12

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report

Substance(s) usage is covered according to Reach regulation 1907/2006

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure

- · Calculation method
- Expert judgment and weight of evidence determination

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared by Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Last Revision Date 17-May-2022

Restrictions on use Restricted to professional users.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

End of Safety Data Sheet