

### **SAFETY DATA SHEET**

Ecocle nz



In accordance with REACH Regulation EC No. 1907/2006 as amended by EC 453/2010.

Versio	on 5: dated 4/5/2021	Supersedes Version 4: dated 12/04/2020	
	SECTION 1: IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING		
1.1	Product identifier	EcoClenz Anti-Bacterial Hand Gel with Moisturiser	
	Other means of identification	HG500 / HG5L	
1.2	Relevant identified uses of the s	substance or mixture and uses advised against	
	Uses:	Disinfection of hands effective against MRSA, C-DIFF & H1N1	
	Not to be used for:		
1.3	Details of the supplier of the Sal	Fety Data Sheet	
	Company Name:	EcoTech (Europe) Limited	
	Address:	EcoTech House Torrington Avenue Coventry West Midlands CV4 9HN United Kingdom	
	Telephone:	+44 (0)24 7647 1894	
	Fax:	+44 (0)24 7647 4743	
	E-mail:	sales@ecotech-europe.com	
	Website:	www.ecotech-europe.com	
1.4	Emergency Telephone Number	07484 759342 (24 hours)	
	Competent Person Email	sales@ecotech-europe.com	
SECT	TION 2: HAZARDS IDENTIFIC	ATION	
2.1	Classification of the substance of	r mixture	
	EC 1272/2008	Flam liq 2:H225 Causes serious eye irritation-H319	
	Main Hazards	Highly flammable liquid and vapour	
2.2	Label elements		
	Signal Word	Danger	

	Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. H319-Causes serious eye irritation
	Precautionary Statement: Prevention	P102 - Keep out of reach of children. P103 - Read label before use. P233 - Keep container tightly closed. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
	Precautionary Statement: Response	P101 - If medical advice is needed, have product container or label at hand. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell. P370+P378 - In case of fire: Use for extinction CO <sub>2</sub> or foam.
	Precautionary Statement: Storage	Keep cool.
	Precautionary Statement: Disposal	Compliance with local and national regulations.
2.3	Other hazards	This product does not contain any PBT or VPvB substances.

### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1 Substances

EC 1272/2008						
Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6		50-70%	Flam. Liq. 2: H225; Causes serious eye irritation H319
PROPANE-1,2-DIOL (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0		1-5%	

3.2	Mixtures	See section 3.1 for further information.	
	Further information	For full text of H-statements: see SECTION 16.	

#### **SECTION 4: FIRST AID MEASURES**

4.1	Description of first aid measures	
irritation or symptoms persist. <b>Eye contact</b> Rinse immediately with plenty of water for 15 minutes hold		Considered to be not hazardous by inhalation. Seek medical attention if irritation or symptoms persist.
		Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b> No irritation expected. Seek medical attention il persist.		No irritation expected. Seek medical attention if irritation or symptoms persist.
	Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

4.2	Most important symptoms and e	effects, both acute and delayed		
	Inhalation	No specific symptoms noted.		
	Eye contact	May cause irritation to eyes.		
	Skin contact	No specific symptoms noted.		
	Ingestion	No specific symptoms noted.		
4.3	Indication of any immediate medical attention and special treatment needed	If you feel unwell, seek medical advice (show the label where possible). No specific first aid measures noted.		
SECT	TION 5: FIREFIGHTING MEAS	SURES		
5.1	Extinguishing media	Alcohol resistant foam. Carbon dioxide (CO2). Use extinguishing media appropriate to the surrounding fire conditions.		
5.2	Special hazards arising from the substance or mixture	Vapour may travel considerable distance to source of ignition and flash back.		
5.3	Advice for firefighters	Wear protective gloves / protective clothing / eye protection / face protection. Wear suitable respiratory equipment when necessary.		
SECT	SECTION 6: ACCIDENTAL RELEASE MEASURES			
6.1	Personal precautions, protective equipment and emergency procedures	Large spillages are highly unlikely due to pack size.		
6.2	Environmental precautions	Large spillages are highly unlikely due to small pack size. Advise local authorities if large spills cannot be contained. Do not allow product to enter drains. Do not flush into surface water. Prevent further spillage if safe.		
6.3	Methods and material for containment and cleaning up	Large spillages are highly unlikely due to small pack size. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. Use of non-sparking tools and equipment where applicable.		
6.4	Reference to other sections	For recommended personal protective equipment see Section 8. For disposal see Section 13.		
SECT	SECTION 7: HANDLING AND STORAGE			
7.1	Precautions for safe handling	None		
7.2	Conditions for safe storage, including any incompatabilities	Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Do NOT allow to freeze.		
7.3	Specific end use	None noted.		

SECT	SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
8.1	Control parameters				
8.1.1	Exposure Limit Values				
	Ethanol	WEL 8-hr limit ppm: 1000 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 1920 WEL 15 min limit mg/m3: -		
	PROPANE-1,2-DIOL (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -		
	PROPANE-1,2-DIOL (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: -		
8.2	Exposure controls				
8.2.1	Appropriate engineering Controls	Keep in a cool, dry, well ventilated area			
8.2.2	Individual protection measures	None.			
8.2.3	Environmental exposure controls	Do not empty into drains. Do not flush spillage if safe.	into surface water. Prevent further		
8.2.4	Further information	Information valid at the time of review	of safety data sheet.		
SECT	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
9.1	Information on basic physical an	and chemical properties			
а	Appearance:	Clear Colourless Gel			
Ь	Odour:	Unfragranced but characteristic alcoholic odour.			
С	Odour threshold:	Not available.			
d	pH:	7.5 - 8.5.			
е	Melting point / freezing point:	Not available.			
f	Initial boiling point and boiling range:	Not available.			
g	Flash point:	21°C approx - (Pensky Martens closed c	rup)		
h	Evaporation rate:	Not available.			
i	Flammability (solid, gas):	Not applicable.			
j	Upper / lower flammability or explosive limits:	Not available.			
k	Vapour pressure:	Not available.			
l	Vapour density:	Not available.			
m	Relative density:	Not available.			
n	Solubility(ies):	Gel completely soluble / miscible with water.			

_	Partition coefficient: n-octanol	Completely miscible with water
0	/ water:	Completely misciple with water
Р	Auto-ignition temperature:	Not available.
q	Decomposition temperature:	Not available.
Γ	Viscosity:	Not available.
S	Explosive properties:	Not available.
t	Oxidising properties:	Not available.
9.2	Other information	None available.
SECT	TION 10: STABILITY AND REA	ACTIVITY
10.1	Reactivity	Avoid sparks, flames, heat and sources of ignition.
10.2	Chemical Stability	Stable under normal conditions. Will not decompose if stored and used as recommended.
10.3	Possibility of hazardous reactions	Strong acids and Strong bases. Strong oxidising agents.
10.4	Conditions to avoid	Heat, sparks and open flames. Do NOT allow to freeze.
10.5	Incompatible materials	Strong acids and Strong bases. Strong oxidising agents.
10.6	Hazardous decomposition products	Combustion of the product will generate toxic fumes containing oxides of carbon may be formed.
SECT	ION 11: TOXICOLOGICAL IN	IFORMATION
11.1	Information on toxicological effe	ects
	Acute toxicity	Based on available data the classification criteria are not met.
	Skin corrosion / irritation	Based on available data the classification criteria are not met.
	Serious eye damage / irritation	May cause irritation to eyes.
	Respiratory or skin sensitisation	Based on available data the classification criteria are not met.
	Germ cell mutagenicity	No mutagenic effects reported.
	Carcinogenicity	No carcinogenic effects reported.
	Reproductive toxicity	No teratogenic effects reported.
	STOT-single exposure	Not classified as a specific target organ toxicant after a single exposure.
	STOT-repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
	Aspiration hazard	Based on available data the classification criteria are not met.

SECT	SECTION 12: ECOLOGICAL INFORMATION		
12.1	Toxicity	No data available.	
12.2	Persistence and degradability	The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in the Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
12.3	Bio accumulative potential	No data available.	
12.4	Mobility in soil	Soluble in water.	
12.5	Results of PBT and vPvB assessment	The product does not contain any PBT or vPvB substances.	
12.6	Other adverse effects	Not known.	

#### **SECTION 13: DISPOSAL CONSIDERATION**

13.1 Waste treatment methods

Contact a licensed waste disposal company. Dispose of as special waste in compliance with local and national regulations. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

	Hazard Pictograms	3
14.1	UN number	UN1170
14.2	UN proper shipping name	Ethanol Solution
14.3	Transport hazard class(es)	
	ADR/RID Subsidiary Risk	3 -
	IMDG Subsidiary Risk	3 -
	IATA Subsidiary Risk	3 -
14.4	Packing group	III
14.5	Environmental hazards	No
	Marine Pollutant	No
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC Code	Not applicable.

ADR/RID Hazard ID Tunnel Category	30 (D/E)
IMDG EmS Code	F-E S-D
IATA Packaging Instruction (Cargo) Maximum quantity Packaging Instruction (Passenger) Maximum quantity	366 220 L 355 60 L

#### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Commission Directive 2000/39/EC of 8 June 2000 established a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Regulation, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/ EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

#### **SECTION 16: OTHER INFORMATION**

Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.
Glossary	ADR European Agreement concerning the International Carriage of Dangerous Goods by Road IATA International Air Transport Association IMDG International Maritime Dangerous Goods PBT Persistent, bio accumulative, toxic RID Convention concerning International Carriage by Rail vPvB very persistent, very bio accumulative STOT Specific Target Organ Toxicity WEL Workplace Exposure Limit.
General Information	No relevant information required.
Further Information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy, reliability or completeness. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. It is the user's responsibility to satisfy him/herself as to the suitability of such information for his / her own particular use.